References

1. Abola E. E., Manning N. O., Prilusky J., Stampf D. R., Sussman J. L. (1996), The Protein Data Bank: Current Status and Future Challenges, J. Res. Natl. Inst. Stand. Technol., 101 (3), 231-241.
2. Arokiyaraj S., Radha R., Martin S., Perinbam K. (2008), Indian Journal of Sci. and Tech., 1, 1- 4.
3. Arora P. N., Malhan P. K. (2006), Biostatics, Himalaya publishing house, Mumbai, 2, 116-118.
4. Benigni R., Bossa C., Netzeva T. I., Worth A. P. (2007), Collection and evaluation of (Q)SAR models for mutagenicity and carcinogenicity, JRC report, EUR 22772 EN.
5. Benkeblia N. (2004), Antimicrobial activity of essential oil extracts of various onions (*Allium cepa*) and garlic (*Allium sativum*), LWT Food Sci. Technol., 37, 263-268.
6. Beresford A. P., Segall M., Tarbit M. H. (2004), *In silico* prediction of ADME properties: are we making progress?, Curr. Opin. Drug Discov. Devel., 7, 36-42.
7. Bharatham N., Bharatham K., Lee K. W. (2007), P56 LCK Inhibitor Identification by Pharmacophore Modelling and Molecular Docking, Bull. Korean Chem. Soc., 28(2), 200-206.
8. Cassano A., Manganaro A., Martin T., Young., Piclin N., Pintore M., Bigoni D., Benfenati E. (2010), CAESAR models for developmental toxicity, Chem. Central Jour., 4(1), S4.
9. Champion H. G., Seth S. K. (1968), A Revised Survey of Forest Types of India, Forest Research of India, Dehradun.
10. Chen X., Ji Z. L., Chen Y. Z. (2002), TTD: therapeutic target database, Nucleic Acids Res., 30, 412–415.
11. Chukwujekwu J. C., Staden J. V., Smith P. (2005), Antibacterial, anti-inflammatory and antimalarial activities of some Nigerian medicinal plants, South Afr. J. Bot., 71, 316-325.
12. Clark R. D., Strizhev A., Leonard J. M., Blake J. F., Matthew J. B. (2002), Consensus scoring for ligand/protein interactions, J. Mol. Graph. Model, 20, 281-295.

13. Colombo M. L., Bosisio E. (1996), Pharmacological activities of *Chelidonium majus* L. (Papaveraceae), Pharmacol. Res., 33, 127-134.
14. Cook T. (1958), Flora of the Bombay Presidency, Bot. Surv. of. Ind. Calcutta, I, II and III.
15. Da Silva C. H., Da Silva V. B., Resende J., Rodrigues P. F., Bononi F. C., Benevenuto C. G., Taft C. A. (2010), Computer-aided drug design and ADMET predictions for identification and evaluation of novel potential farnesyltransferase inhibitors in cancer therapy. J. Mol. Graph. Model, 28, 513-523.
16. Dearden J., Worth A. (2007), *In Silico* Prediction of Physicochemical Properties, JRC European Commission, EUR 23051 EN.
17. Deore S. L., Khadabadi S. S. (2010), Isolation and characterization of phytoconstituents from *Chlorophytum borivilianum*, Pharmacognosy Res., 2(6), 343–349.
18. Dhanalekshmi U. M., Poovi G., Kishore N., Raja M. D., Reddy P. N. (2010), Evaluation of wound healing potential and antimicrobial activity of ethanolic extract of *Evolvulus alsinoides*, Annals of Biol. Res., 1 (2), 49-61.
19. Ekins S., Mestres J., Testa B. (2007), *In silico* pharmacology for drug discovery: methods for virtual ligand screening and profiling, British Jour. of Pharmaco., 152, 9–20.
20. Eldridge M. D., Murray C. W., Auton T. R., Paolini G. V., Mee R. P. (1997), Empirical scoring functions: I. The development of a fast empirical scoring function to estimate the binding affinity of ligands in receptor complexes, J. Comput. Aided Mol. Des., 11, 425-445.
21. Franke R., Gruska A., Giuliani A., Benigni R. (2001), Prediction of rodent carcinogenicity of aromatic amines: a quantitative structure-activity relationships model, Carcinogenesis, 22, 1561-1571.
22. Gautam V., Raman R. M. V., Ashish K. (2003), Exporting Indian healthcare (Export potential of Ayurveda and Siddha products and services), Road Beyond Boundaries (The Case of Selected Indian Healthcare Systems) Export-Import Bank of India; Mumbai, 14–54.
23. Ghose A. K., Viswanadhan V. N., Wendoloski J. J. (1999), A Knowledge-Based Approach in Designing Combinatorial or Medicinal Chemistry Libraries for Drug Discovery, J. Combin. Chem., 1, 55–68.

24. Girish H. V., Satish S. (2008), Antibacterial activity of important medicinal plants on human pathogenic bacteria – a comparative analysis, World Applied Sci. Jour., 5(3), 267-271.
25. Goud M. J. P., Komraiah A., Rao K. N., Ragan A., Raju V. S., Charya M. A. S. (2008), Antibacterial Activity of Some Folklore Medicinal Plants from South India, Afr. J. Tradit. Complement Altern. Med., 5(4), 421–426.
26. Guerin-Faublee V., Muller M. L. D., Vigneulle M., Flandrois J. P. (1996), Application of a modified disc diffusion technique to antimicrobial susceptibility testing of *Vibrio anguillarum* and *Aeromonas salmonicida* clinical isolates, Veterinary Microbiology, 51, 137-149.
27. Iwu M. M., Duncan R. A., Okunji C. O. (1999), New Antimicrobials of Plant Origin. In: Perspectives on New Crops and New Uses, Janick, J. (Ed.). ASHS Press, Alexandria, Virginia, 457-462.
28. Jacobsson M. (2008), Structure-Based Virtual Screening. New Methods and Applications in Infectious Diseases, Acta Universitatis Upsaliensis Uppsala, Digital Comprehensive Summaries of Uppsala Dissertations from the Faculty of Pharmacy, 82, 25.
29. Jones G., Willett P., Glen R. C., Leach A. R., Taylor R. (1997), Development and validation of a genetic algorithm for flexible docking, J. Mol. Biol., 267, 727-748.
30. Kandalkar A. M., Manjunath K. P., Sholapur H. P., Patel A. M., Darade S. S. (2009), Phytochemical and Pharmacognostic Evaluation of *Euphorbia hirta* Linn. Leaves, Jour. of Pharmacy Res., 2(3), 349-352.
31. Kandalkar A., Patel A., Darade S., Baviskar D. (2010), Free Radical Scavenging Activity of *Euphorbia Hirta* Linn. Leaves and Isolation of Active Flavonoid Myricitrin, Asian Jour. of Pharma. and Clinical Res., 3(3), 234-237.
32. Kapetanovic I. M. (2008), Computer-Aided Drug Discovery and Development (CADDD): *in silico*-chemico-biological approach, Chem. Biol. Interact, 171(2), 165–176.
33. Khare C. P. (2004), Encyclopedia of Indian medicinal plant, Rational Western therapy, Ayurvedic and other traditional usage, New Delhi: Springer Verlay,2,153.
34. Klon A. E., Glick M., Davies J. W. (2004), Combination of a naive Bayes classifier with consensus scoring improves enrichment of high-throughput docking results, J. Med. Chem., 47, 4356-4359.

35. Kokate C. K., Purohit A. P., Gokhle S. B., (2007), pharmacognosy, nirali prakashan, pune, 37,105-108.
36. Kouranov A., Xie L., Cruz J., Chen L., Westbrook J., Bourne P. E. and Berman H. M. (2006), The RCSB PDB information portal for structural genomics, Nucleic Acids Res., 34, 302-305.
37. Krishnaraju A. V., Rao T. V. N., Sundararaju D., Vanisree M., Tsay H. S. and Subbaraju G. V. (2005), Assessment of bioactivity of Indian medicinal plants using Brine shrimp (*Artemia salina*) lethality assay, Int. J. Applied Sci. Eng., 3, 125-134.
38. Kubinyi H. (2003), Drug research: myths, hype and reality, Nat. Rev. Drug Discov., 2, 665-668.
39. Kumar S., Malhotra R., Kumar D. (2010), *Euphorbia hirta*: Its chemistry, traditional and medicinal uses, and pharmacological activities, Pharmacogn. Rev., 4(7), 58–61.
40. Lagorce D., Sperandio O., Galons H., Miteva M. A., Villoutreix B. O. (2008), FAF-Drugs2: Free ADME/tox filtering tool to assist drug discovery and chemical biology projects, BMC Bioinfo., 9, 396.
41. Lagunin A. A., Dearden J. C., Filimonov D. A., Poroikov V. V. (2005), Computer-aided rodent carcinogenicity prediction, Mutation Research, 586, 138–146.
42. Lipinski C. A., Lombardo F., Dominy B. W., Feeney P. J. (2001), Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. Adv. Drug Del. Rev. 46, 3–26.
43. Lyne P. D. (2002), Structure-based virtual screening: an overview, Drug Discov. Today, 7, 1047-1055.
44. Mohamed S. S. H., Hansi P. D., Kavitha T. (2010), Antimicrobial activity and phytochemical analysis of selected Indian folk medicinal plants, Inter. Jour. of Pharma. Sci. and Res., IJPSR, 1(10), 430-434.
45. Nostro A., Germano M. P, Dangelo V., Marino A., Cannatelli M. A. (2000), Lett appl Microbiol., 30, 379-384.
46. Ogueke C. C., Ogbulie J. N., Okoli I. C., Anyanwu B. N. (2007), Antibacterial Activities and Toxicological Potentials Of Crude Ethanolic Extracts Of *Euphorbia hirta*, Journal of American Sci., 3(3), 11-16.

47. Okimoto N., Futatsugi N., Fuji H., Suenaga A., Morimoto G., Yanai R., Ohno Y., Narumi T., Taiji M. (2009), High-Performance Drug Discovery: Computational Screening by Combining Docking and Molecular Dynamics Simulations, PLoS Comput. Biol., 5(10), 1000528.
48. Oprea T. I., Davis A. M., Teague S. J., Leeson P. D. (2001), Is There a Difference between Leads and Drugs? A Historical Perspective, J. Chem. Inf. Comput. Sci., 41 (5), 1308–1315.
49. Patil S. B., Naikwade N. S., Magdum C. S. (2009), Review on Phytochemistry and Pharmacological Aspects of *Euphorbia Hirta* Linn., JPRHC, 1 (1), 113-133.
50. Pieme C. A., Dzoyem J. P., Kechia F. A., Etoa F. X., Penlap V. (2008), *In vitro* antimicrobial activity of extracts from some Cameroonian medicinal plants, J. Boil. Sci., 8, 902-907.
51. Pitchai D., Manikkam R., Rajendran S. R, Pitchai G. (2010), Database on pharmacophore analysis of active principles from medicinal plants, Bioinform., 5(2), 43–45.
52. Pospieszny T., Malecka I., Paryzek Z. (2010), A practical synthesis and spectroscopic study of new potentially biologically active *S*-lithocholic acid substituted derivatives of 2-thiouracil, Tetrahedron Letters, 51, 4166-4169.
53. Prasad S. (2007), Elements of Biostatistics, Rastogi publication, India, 2, 135-136.
54. Rahim F. (2008), *In silico* comparison of simple sequence repeats in high nucleotides-rich genomes of microorganism, Pak. J. Biol. Sci., 11(20), 2372-81.
55. Rahim F. (2010), An *in silico* development of selective inhibitor for histamine receptors. Biotech, 9, 157-163.
56. Rajasekaran S., Rao G., Pai S. P. N. (2010), Synthesis, antitubercular, antibacterial and antioxidant activity of some 2-phenyl-3-substituted quinazolin-4(3*H*)-ones, Der Pharma Chemica, 2(5), 153-163.
57. Ramakrishnan P. (2007), Biostatistics, Saras publication, 2,165-178.
58. Ramesh K. V., Padmavathi K. (2010), Assessment of Immunomodulatory Activity of *Euphorbia hirta* L. Indian J Pharm. Sci., 72(5), 621–625.
59. Selick H. E., Beresford A. P., Tarbit M. H. (2002), The emerging importance of predictive ADME simulation in drug discovery, Drug Discov. Today, 7, 109-116.
60. Sethiya N. K., Trivedi A., Patel M. B., Mishra S. H. (2010), Comparative pharmacognostical investigation on four ethanobotanicals traditionally used as *Shankhpushpi* in India, J. Adv. Pharm. Technol. Res., 1(4), 388–395.

61. Shah G. L. (1978), Flora of Gujarat State Part I and II, Sardar Patel University, Vallabh Vidyanagar.
62. Singh A. (2008), Review of Ethnomedicinal Uses and Pharmacology of *Evolvulus alsinoides* Linn., Ethnobot. Leaflets, 12, 734-40.
63. Sperandio O., Miteva M. A., Delfaud F., Bruno O. Villoutreix (2006), Receptor-Based Computational Screening of Compound Databases: The Main Docking-Scoring Engines, Current Protein and Peptide Science, 7, 5.
64. Teague S. J., Davis A. M., Leeson P. D., Oprea T. (1999), The Design of Leadlike Combinatorial Libraries, Angew Chem Int Ed Engl., 38, 3743-3748.
65. Thakur M., Bhargava S., Dixit V. K. (2007), Immunomodulatory Activity of *Chlorophytum borivilianum* Sant. F, Evid Based Compl. Alternat Med., 4(4), 419-423.
66. Vaidya A. D. B. (1992), Some principles and practices of Ayurveda in Selected Medicinal Plants of India, Bhavan's SPARC, Mumbai, 365–370.
67. Vaidya A. D. B., Devasagayam T. P. A. (2007), Current Status of Herbal Drugs in India: An Overview, J. Clin. Biochem. Nutr., 41(1), 1–11.
68. Venkat Subramanian T. C., Gautam V., Raman R. M. V., Prahalathan S., Ashish K. (2003), In: Foreword, in Road Beyond Boundaries (The Case of Selected Indian Healthcare Systems) editors. Export-Import Bank of India, Mumbai, 7–9.
69. Verdonk M. L., Cole J. C., Hartshorn M. J., Murray C. W., Taylor R. D. (2003), Improved Protein–Ligand Docking Using GOLD, PROTEINS: Structure, Function, and Genetics, 52, 609–623.
70. Verhaar H. J. M., Van L. C., Hermens J. L. M. (1992), Structure-Activity Relationships for Prediction of Aquatic Toxicity, Chemosphere, 25(4), 471-491.
71. Villoutreix B. O., Bastard K., Sperandio O., Fahraeus R., Poyet J. L., Calvo F., Deprez B., Miteva M. A. (2008), *In Silico-In Vitro* Screening of Protein-Protein Interactions: Towards the Next Generation of Therapeutics, Current Pharma. Biotech, 9, 103-122.
72. Walters W. P, Stahl M. T, Murcko M. A. (1998), Virtual screening-an overview, Drug Discov. Today, 3 (4), 160-178.
73. Wang Y., Xiao J., Suzek T. O., Zhang J., Wang J., Bryant S. H. (2009), PubChem: a public information system for analyzing bioactivities of small molecules, Nucl. Acids Res., 37, 623-33.

74. Yadava R. N., Barsainya D. (1998), Chemistry and antimicrobial activity of the essential oil from *Anisomeles indica* (L), Ancient sci. of life, 18(1), 1-4.